
Docket No.: 1248-0813PUS1

App No.: 10/550,003 Docket No.: 1248-0813PUS Inventor: Toshiyuki FUJINE et al.
Title: LIQUID CRYSTAL TELEVISION RECEIVER, FOR CORRECTING OPTICAL RESPONSE CHARACTERISTICS, etc.

(As Amended)
REPLACEMENT SHEET

Sheet 1 of 5



PRIOR ART

U ட

App No.: 10/550,003 Docket No.: 1248-0813PUS1

Inventor: Toshiyuki FUJINE et al.
Title: LIQUID CRYSTAL TELEVISION RECEIVER, FOR

CORRECTING OPTICAL RESPONSE CHARACTERISTICS, etc.

(As Amended)

255

255

255

255

255

255

255

255

255 555

255

<u>e</u>

 $\frac{1}{2}$

136

ا

 \bigcirc

 \circ

 \bigcirc

255

REPLACEMENT SHEET

Sheet 2 of 5

data of current frame	•	224	242	240	234	232	232	229	227	224
		192	230	226	209	204	201	196	192	186
		160	214	206	182	175	167	160	152	139
		128	194	183	150	140	128	117	105	85
		96	165	159	110	96	81	99	56	50
		64	118	120	64	48	43	35	2	0
		32	51	32	12	0	0	0	0	0
		0	0	0	0	0	. 0	0	0	0
		7	-							

data of directly previous frame

96

128


160

192

224

App No.: 10/550,003 Docket No.: 1248-0813PUS1 Inventor: Toshiyuki FUJINE et al.

Title: L!QUID CRYSTAL TELEVISION RECEIVER, FOR CORRECTING OPTICAL RESPONSE CHARACTERISTICS, etc. (As Amended) REPLACEMENT SHEET Sheet 3 of 5



Ü

L.

App No.: 10/550,003 Docket No.: 1248-0813PUS1
Inventor: Toshiyuki FUJINE et al.
Title: LIQUID CRYSTAL TELEVISION RECEIVER, FOR
CORRECTING OPTICAL RESPONSE CHARACTERISTICS, etc.
(As Amended)
REPLACEMENT SHEET Sheet 4 of 5 Docket No.: 1248-0813PUS1

Sheet 4 of 5

FIG. 18 PRIOR ART

OS table memory 1d	switching temperature
·	< 35°C
OS table memory 1c	,
,	← 25°C
OS table memory 1b	
	€ 15°C
OS table memory 1a	(") value detected by
	temperature sensor

